

UNITED STATES ENRICHMENT CORPORATION

P.O. Box 628 • Mail Stop 5200 • 3930 State Route 23 • Piketon, OH 45661

Fax Memorandum

DATE: January 7, 1999
TIME: 10:27 am

TO: Michael H. Murphy
USEPA-Region 5

FAX: 312 886-0617
PHONE: 312 353-6686

FROM: Steven B. Guthrie, EI
Environmental Site Representative

FAX: 740 897-2221
PHONE: 740 897-2144

NUMBER OF PAGES (including cover sheet): 2

SUBJECT: **COMMENTS TO THE USEPA-REGION 5 DRAFT REPORT FOR THE
NESHAP INSPECTION CONDUCTED OCTOBER 19-22, 1998**

Mike -

You had requested that USEC review USEPA-Region 5's draft report for the NESHAP inspection (i.e. conducted in October 1998) and provide any comments to you by COB, January 14, 1999. Please find attached the Portsmouth Gaseous Diffusion Plant's (PORTS) comments to the draft inspection report.

If you have any questions or require additional information, please contact me at (740) 897-2144. We look forward to receiving the final report in the near future.

Sincerely,


Steven B. Guthrie
Environmental Site Representative
USEC-PORTS


Kathy E. Easter
Environmental Engineer
LMUS-PORTS

IMPORTANT: This facsimile is intended only for the use of the individual or entity to which it is addressed. It may contain information that is privileged, confidential, or otherwise protected from disclosure under applicable law. If the reader of this transmission is not the intended recipient or the employee or agent responsible for delivering the transmission to the intended recipient, you are hereby notified that any dissemination, distribution, copying or use of this transmission or its contents is strictly prohibited. If you have received this transmission in error, please notify us by telephoning 740/897-2144 and returning the original to us at the above address.

**USEC COMMENTS TO THE
USEPA REGION 5 DRAFT REPORT FOR THE
NESHAP INSPECTION CONDUCTED OCTOBER 19-22, 1998**

1. **Section II, Date of Inspection:**

The inspection was conducted during October 19-22, 1998, not October 19-27, 1998.

2. **Section IV, Acronyms and Abbreviations Used in This Report:**

- a. The following acronyms and abbreviations were omitted from the list:

IPO	Initial public offering
km	Kilometers
M&A	Merger and acquisition
mph	Miles per hour
USU	New York Stock Exchange ticker symbol for USEC

- b. Delete those acronyms and abbreviations not referenced in the report: ANSI, APC, BE, BRP, CDO, cpm, DAPC, DMR, DQO, EML, EMSL-LV, FFCA, Ge(Li), KeV, LMUS, μ m, MDL, MMUS, N/A, NAREL, NOAA, ODH, OEPA, OFFO, PAT, PET, QA, QAPJP, QC, SC&A, SOPs, Tc-99, TRU, U-235, and WP.

3. **Section V, Objective/Scope of Inspection:**

"...Scope..." should not be capitalized in the first sentence.

4. **Section VI, Facility Description**

- a. Change "...23,000 resident..." to "...23,000 residents..." in the fifth paragraph.
- b. Delete last sentence in the sixth paragraph which makes reference to the percentage of emissions attributable to DOE.
- c. In the seventh paragraph, "...information Supplied..." should read "...information was supplied..."
- d. It is suggested that a statement be included in this section that the Nuclear Regulatory Commission, as of March 3, 1997, regulates USEC's nuclear-related operations.